

# SAFETY DATA SHEET

Issue Date 22-Jul-2016 Revision Date 18-Oct-2016 Version 4 Page 1 / 20

# 1. IDENTIFICATION

Product identifier

**Product Name** Buffer Solution pH 10.01  $\pm$  0.02

Other means of identification

Product Code(s) 2283656

Safety data sheet number M00370

Recommended use of the chemical and restrictions on use

Recommended Use Buffer.
Uses advised against None.
Restrictions on use None.

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Hach Company P.O.Box 389 Loveland, CO 80539 USA (970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

# 2. HAZARDS IDENTIFICATION

#### Classification

#### **Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not Hazardous Not a dangerous substance or mixture according to the Globally Harmonized System

(GHS)

#### Hazards not otherwise classified (HNOC)

Not applicable

Label elements

**Hazard statements** 

EUH208 - May produce an allergic reaction

EUH210 - Safety data sheet available on request

The product contains no substances which at their given concentration, are considered to be hazardous to health

Product Name Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 2/20

Other Information

Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

**Mixture** 

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
Formaldehyde	50-00-0	<0.1%	-
Methyl alcohol	67-56-1	<0.1%	-
Cuprate(2-),	1330-38-7	<0.1%	-
[29H,31H-phthalocyanine-C,C-disulfonato(4-)-N29,N30,N31,N32]-,			
disodium			

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If symptoms persist, call a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If symptoms persist, call a physician.

**Inhalation** IF INHALED: Remove person to fresh air and keep comfortable for breathing. If symptoms

persist, call a physician.

**Ingestion** IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.

Self-protection of the first aider

Use personal protective equipment as required. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Flammable properties

**Product Name** Buffer Solution pH  $10.01 \pm 0.02$ 

Revision Date 18-Oct-2016

Page 3/20

Substance does not burn.

# Specific hazards arising from the chemical

This product will not burn or explode. May react violently with. Strong acids. Strong bases.

**Hazardous combustion products** 

Carbon monoxide, Carbon dioxide.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice** Only persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

**EC Notice**Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

WHMIS Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate

affected area. Use personal protective equipment as required.

Environmental precautions

**Environmental precautions** Avoid release to the environment. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up

Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically,

placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number Not applicable

# 7. HANDLING AND STORAGE

Precautions for safe handling

Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers.

Product Name Buffer Solution pH 10.01  $\pm$  0.02 Revision Date 18-Oct-2016

Page 4/20

Flammability class Not applicable

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	Ceiling: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
<0.1%		(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
<0.1%	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
		(vacated) TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m <sup>3</sup>
		(vacated) STEL: 325 mg/m <sup>3</sup>	
		(vacated) SKN*	
Cuprate(2-),	TWA: 1 mg/m <sup>3</sup>	NDF	IDLH: 100 mg/m <sup>3</sup> Cu dust and
[29H,31H-phthalocyanine-C,C-disulfon			mist
ato(4-)-N29,N30,N31,N32]-, disodium			TWA: 1 mg/m³ Cu dust and
<0.1%			mist

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Formaldehyde	Ceiling: 1 ppm	TWA: 0.3 ppm	Ceiling: 0.3 ppm	TWA: 0.5 ppm	RSP+
<0.1%	Ceiling: 1.3 mg/m <sup>3</sup>	Ceiling: 1 ppm		STEL: 1.5 ppm	Ceiling: 0.3 ppm
	TWA: 0.75 ppm	SKN+			SKN+
	TWA: 0.9 mg/m <sup>3</sup>				
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
<0.1%	TWA: 262 mg/m <sup>3</sup>	STEL: 250 ppm	STEL: 250 ppm	TWA: 262 mg/m <sup>3</sup>	STEL: 250 ppm
	STEL: 250 ppm	SKN*	SKN*	STEL: 250 ppm	SKN*
	STEL: 328 mg/m <sup>3</sup>			STEL: 328 mg/m <sup>3</sup>	
	SKN*			SKN*	
Cuprate(2-),	NDF	NDF	TWA: 1 mg/m <sup>3</sup>	NDF	TWA: 1 mg/m <sup>3</sup>
[29H,31H-phthalocyanine-					
C,C-disulfonato(4-)-N29,N					
30,N31,N32]-, disodium					
<0.1%					

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
Formaldehyde	Ceiling: 0.3 ppm	RSP+	Ceiling: 0.3 ppm	STEL: 1 ppm	Ceiling: 0.3 ppm
<0.1%	SKN+	Ceiling: 0.3 ppm SKN+		Ceiling: 1.5 ppm	
Methyl alcohol	TWA: 200 ppm	STEL: 250 ppm	TWA: 200 ppm	TWA: 200 ppm	STEL: 250 ppm
<0.1%	STEL: 250 ppm SKN*	TWA: 200 ppm SKN*	STEL: 250 ppm SKN*	STEL: 250 ppm SKN*	TWA: 200 ppm
Cuprate(2-), [29H,31H-phthalocyanine- C,C-disulfonato(4-)-N29,N 30,N31,N32]-, disodium <0.1%	NDF	TWA: 1 mg/m <sup>3</sup>	NDF	NDF	TWA: 1 mg/m <sup>3</sup>

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Formaldehyde	Ceiling: 2 ppm	Ceiling: 0.3 ppm	Ceiling: 2 ppm
<0.1%	Ceiling: 3 mg/m <sup>3</sup>	SKN+	Ceiling: 3 mg/m <sup>3</sup>

Product Name Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 5/20

Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	STEL: 250 ppm
<0.1%	TWA: 262 mg/m <sup>3</sup>	STEL: 250 ppm	STEL: 310 mg/m <sup>3</sup>
	STEL: 250 ppm	SKN*	TWA: 200 ppm
	STEL: 328 mg/m <sup>3</sup>		TWA: 260 mg/m <sup>3</sup>
	SKN*		SKN*

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Legend** See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection**Wear protective gloves and protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Take off all contaminated clothing and wash it before reuse. Wash hands thoroughly after handling. Regular cleaning of equipment, work area

and clothing is recommended.

**Environmental exposure controls** 

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Appearance aqueous solution Color blue

Odor Odorless Odor threshold No data available

Property Values Remarks • Method

Molecular weight No data available

**pH** 10.0

**Melting point/freezing point** ~ 0 °C / 32 °F Estimation based on theoretical

calculation

Boiling point / boiling range ~ 100 °C / 212 °F Estimation based on theoretical

calculation

**Evaporation rate** 0.76 (water = 1)

Vapor pressure 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F

**Product Name** Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 6/20

Vapor density (air = 1) 0.62

Specific gravity (water = 1 / air = 1) 0.990

Partition Coefficient (n-octanol/water) Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

**Dynamic viscosity**  $\sim$  1 cP (mPa s) at 20 °C / 68 °F

Kinematic viscosity ~ 1.01 cSt (mm²/s) at 20 °C / 68 °F

# Solubility(ies)

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

### Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

# Other Information

Metal Corrosivity

Not classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate

No data available

Aluminum Corrosion Rate

No data available

Volatile Organic Compounds (VOC) Content See ingredients information below.

Bulk density Not applicable

**Explosive properties**Not classified according to GHS criteria.

Explosion data No data available

Upper explosion limit No data available

Lower explosion limit No data available

Flammable properties Not classified as flammable according to GHS criteria.

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: No data available

Flash point No data available

Method No information available

Product Name Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 7/20

Oxidizing properties Not classified according to GHS criteria.

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting

flammable gases in contact with water according to GHS criteria.

# 10. STABILITY AND REACTIVITY

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

**Chemical stability** 

Stable under recommended storage conditions.

Special dangers of the product

None reported

**Possibility of Hazardous Reactions** 

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Heat. Evaporation. Extreme temperatures. Contact with acid or acid fumes. Contact with heat, sparks, open flames or other ignition sources.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

**Hazardous Decomposition Products** 

Carbon dioxide. Carbon monoxide. Formaldehyde. Sodium oxides. Nitrogen oxides.

**Explosive properties** 

Not classified according to GHS criteria.

Upper explosion limit No data available

Lower explosion limit No data available

**Autoignition temperature** 

No data available

Sensitivity to Static Discharge

Νo

**Sensitivity to Mechanical Impact** 

No

# 11. TOXICOLOGICAL INFORMATION

NIOSH (RTECS) Number None reported

Information on Likely Routes of Exposure

Product Information Product does not present an acute toxicity hazard based on

**Product Name** Buffer Solution pH 10.01 ± 0.02 **Revision Date** 18-Oct-2016

Page 8 / 20

	known or supplied information.
Inhalation	No known effect based on information supplied.
Eye contact	No known effect based on information supplied.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	None known.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution
Formaldehyde	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to
(<0.1%)	formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.
CAS#: 50-00-0	
Methyl alcohol	Metabolism of methanol appears to be similar regardless of administrative route. Methanol is converted to
(<0.1%)	formaldehyde, which is converted to formate which is oxidized to carbon dioxide in primates.
CAS#: 67-56-1	

# **Product Acute Toxicity Data**

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

# **Ingredient Acute Toxicity Data**

**Oral Exposure Route** 

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	100 mg/kg	None	None reported	No information available
(<0.1%)	LD <sub>50</sub>		reported		
CAS#: 50-00-0					
Methyl alcohol	Human	300 mg/kg	None	None reported	IUCLID (The International
(<0.1%)	LD50		reported		Uniform Chemical Information
CAS#: 67-56-1					Database)
Cuprate(2-),	Rat	> 5000 mg/kg	None	None reported	Vendor SDS
[29H,31H-phthalocya	LD50		reported		
nine-C,C-disulfonato(					
4-)-N29,N30,N31,N3					
2]-, disodium					
(<0.1%)					
CAS#: 1330-38-7					16 114
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
Mathed alaskal	type	dose	time	Name and add	sources for data
Methyl alcohol	Rat	5628 mg/kg	None	None reported	RTECS (Registry of Toxic
(<0.1%)	LD50		reported		Effects of Chemical
CAS#: 67-56-1	For despisation (	Denented	<b>F</b>	Tania da sia da Masta	Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde	Human	70 mg/kg	None	Kidney, Ureter, or Bladder	RTECS (Registry of Toxic
(<0.1%)	$LD_Lo$		reported	Other changes	Effects of Chemical
CAS#: 50-00-0				Liver	Substances)
Methyl alcohol	Human	143 mg/kg	None	Lungs, Thorax, or Respiration	
(<0.1%)	LDLo		reported	Dyspnea	Effects of Chemical
CAS#: 67-56-1					Substances)

**Product Name** Buffer Solution pH 10.01 ± 0.02 **Revision Date** 18-Oct-2016

Page 9/20

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	643 mg/kg	None	Lungs, Thorax, or Respiration	RTECS (Registry of Toxic
(<0.1%)	TDLo		reported	Respiratory obstruction	Effects of Chemical
CAS#: 50-00-0				·	Substances)
Methyl alcohol	Man	3.571 mg/kg	None	Lungs, Thorax, or Respiration	RTECS (Registry of Toxic
(<0.1%)	LDLo		reported	Dyspnea	Effects of Chemical
CAS#: 67-56-1			-		Substances)

**Dermal Exposure Route** 

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD <sub>50</sub>	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Human LD <sub>50</sub>	1000 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rabbit LD <sub>50</sub>	15800 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)

# Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

Innalation (Vapor) Exposure Route							
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and		
	type	dose	time		sources for data		
Formaldehyde	Rat	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic		
(<0.1%)	LC <sub>50</sub>			·	Effects of Chemical		
CAS#: 50-00-0					Substances)		
Methyl alcohol	Human	10 mg/L	4 hours	4 hours None reported	IUCLID (The International		
(<0.1%)	LC <sub>50</sub>			·	Uniform Chemical Information		
CAS#: 67-56-1					Database)		
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and		
	type	dose	time		sources for data		
Methyl alcohol	Rat	64000 mg/L	6 hours	None reported	RTECS (Registry of Toxic		
(<0.1%)	LC <sub>50</sub>			·	Effects of Chemical		
CAS#: 67-56-1					Substances)		
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and		
	type	dose	time		sources for data		
Methyl alcohol	Human	300 mg/L	None	Lungs, Thorax, or Respiration	RTECS (Registry of Toxic		
(<0.1%)	TCLo		reported	Other changes	Effects of Chemical		
CAS#: 67-56-1					Substances)		

Inhalation (Gas) Exposure Route

No data available

# **Product Skin Corrosion/Irritation Data**

No data available.

# **Ingredient Skin Corrosion/Irritation Data**

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde	Standard Draize	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of

**Product Name** Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

**Page** 10 / 20

(<0.1%) CAS#: 50-00-0	Test					Toxic Effects of Chemical Substances)	
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	20 mg	24 hours	Skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)	
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	2 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)	

# Product Serious Eye Damage/Eye Irritation Data

No data available.

# **Ingredient Eye Damage/Eye Irritation Data**

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	40 mg	None reported	Eye irritant	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	0.750 mg	24 hours	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

# **Sensitization Information**

**Product Sensitization Data** 

Skin Sensitization Exposure Route No data available.

Respiratory Sensitization Exposure Route No data available.

**Ingredient Sensitization Data** 

**Skin Sensitization Exposure Route** 

Chemical Name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)

Respiratory Sensitization Exposure Route				Toxicological data for ingredients is not indicative of likely harm.				
	Chemical Name	mical Name   Test method   Species   Results		Key literature references and				
					sources for data			
	Formaldehyde	IgE Specific	Guinea pig	Confirmed to be a respiratory	CICAD (Concise International			
(<0.1%) Immune Response			sensitizer	Chemical Assessment Documents)				
	CAS#: 50-00-0	Toot						

# **Chronic Toxicity Information**

**Product Repeat Dose Toxicity Data** 

**Product Name** Buffer Solution pH 10.01  $\pm$  0.02

Revision Date 18-Oct-2016

Page 11 / 20

Oral Exposure Route No data available.

**Dermal Exposure Route**No data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

Inhalation (Gas) Exposure Route No data available.

Ingredient Repeat Dose Toxicity Data

**Oral Exposure Route** 

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

initialation (Vapor) Exposure Noute									
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and				
	type	dose	time		sources for data				
Formaldehyde	Human	0.017 mg/L	0.5 days	Eye	RTECS (Registry of Toxic				
(<0.1%)	TCLo			Lacrimation	Effects of Chemical				
CAS#: 50-00-0				Lungs, Thorax, or Respiration	Substances)				
	Other changes	Other changes	·						
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and				
	type	dose	time	_	sources for data				
Formaldehyde	Human	2 mg/L	40 minutes	Lungs, Thorax, or Respiration	RTECS (Registry of Toxic				
(<0.1%)	TCLo			Other changes	Effects of Chemical				
CAS#: 50-00-0				Respiratory depression	Substances)				

# Inhalation (Gas) Exposure Route

No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
Formaldehyde	50-00-0	A2	Group 1	Known	X
Methyl alcohol	67-56-1	-	-	-	-
Cuprate(2-),	1330-38-7	-	-	-	-
[29H,31H-phthalocyanine-					
C,C-disulfonato(4-)-N29,N					
30,N31,N32]-, disodium					

# **Legend**

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

<u>Product Carcinogenicity Data</u>

No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

**Product Name** Buffer Solution pH 10.01  $\pm$  0.02

Revision Date 18-Oct-2016

Page 12 / 20

Inhalation (Gas) Exposure Route No data available

Ingredient Carcinogenicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route

Chemical Name	Endpoint Reported		dpoint Reported Exposure Toxicological effects		Key literature references and	
	type	dose	time		sources for data	
Formaldehyde	Rat 15 mg/L 78 wee		78 weeks	Olfaction	RTECS (Registry of Toxic	
(<0.1%)				Tumors	Effects of Chemical	
CAS#: 50-00-0					Substances)	

Inhalation (Gas) Exposure Route

No data available

Product Germ Cell Mutagenicity invitro Data

No data available.

# Ingredient Germ Cell Mutagenicity invitro Data

Chemical Name	Test	Cell Strain	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Methyl alcohol	DNA inhibition	Human	300 mmol/L	None	Positive test result for	RTECS (Registry
(<0.1%)		lymphocyte		reported	mutagenicity	of Toxic Effects of
CAS#: 67-56-1						Chemical
						Substances)

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

# Ingredient Germ Cell MutagenicityinvivoData

**Oral Exposure Route** 

<b>Chemical Name</b>	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Methyl alcohol	DNA damage	Rat	0.405 mg/kg	None	Positive test result for	RTECS (Registry
(<0.1%)				reported	mutagenicity	of Toxic Effects of
CAS#: 67-56-1						Chemical
						Substances)
Chemical Name	Test	Species	Reported	Exposure	Results	Key literature
		-	dose	time		references and
						sources for data
Methyl alcohol	Cytogenetic	Mouse	1000 mg/kg	None	Positive test result for	RTECS (Registry
(<0.1%)	analysis			reported	mutagenicity	of Toxic Effects of
CAS#: 67-56-1	-			-		Chemical
						Substances)

**Product Name** Buffer Solution pH 10.01  $\pm$  0.02

Revision Date 18-Oct-2016

Page 13 / 20

**Dermal Exposure Route** 

No data available

Inhalation (Dust/Mist) Exposure Route

Ch	emical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and
							sources for data
F	ormaldehyde	DNA damage	Rat	0.000035	8 weeks	Positive test result for	RTECS (Registry
	(<0.1%)			mg/L		mutagenicity	of Toxic Effects of
C	AS#: 50-00-0						Chemical
							Substances)

Inhalation (Vapor) Exposure Route

Chemical Name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)
Chemical Name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
0,10,1,00,00						

Inhalation (Gas) Exposure Route No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

**Ingredient Reproductive Toxicity Data** 

**Oral Exposure Route** 

Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Methyl alcohol	Rat	4118 mg/kg	10 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TDLo			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 67-56-1				stunted fetus)	Substances)
				Specific Developmental	·
				Abnormalities	
				Ear	
				Eye	
				Urogenital System	

# **Dermal Exposure Route**

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

initialition (Buoyimot) Exposure Route				110 data available	
Chemical Name	Endpoint	Reported	Exposure Toxicological effects		Key literature references and
	type	dose	time	-	sources for data
Methyl alcohol	Rat	0.0026 mg/L	22 days	Effects on Embryo or	RTECS (Registry of Toxic
(<0.1%)	TCLo			FetusFetotoxicity (except death	Effects of Chemical

Product Name Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 14/20

CAS#: 67-56-1 e.g. stunted fetus) Substances)

Inhalation (Vapor) Exposure Route Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 50-00-0				stunted fetus)	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data
Formaldehyde	Rat	.001 mg/L	24 weeks	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Cytological changes (including	Effects of Chemical
CAS#: 50-00-0				somatic cell genetic material)	Substances)
Methyl alcohol	Mouse	1500 mg/L	7-9 days	Specific Developmental	RTECS (Registry of Toxic
(<0.1%)	TCLo			Abnormalities	Effects of Chemical
CAS#: 67-56-1				Central Nervous System	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Formaldehyde	Rat TC <sub>Lo</sub>	.0005 mg/L	19 days	Specific Developmental	RTECS (Registry of Toxic
(<0.1%)				<b>Abnormalities</b> Musculoskeletal	Effects of Chemical
CAS#: 50-00-0				system	Substances)

Inhalation (Gas) Exposure Route

No data available

# 12. ECOLOGICAL INFORMATION

Based on the classification principles, not classified as hazardous **Ecotoxicity** 

to the environment.

**Product Ecological Data** 

**Aquatic toxicity** 

No data available Fish

No data available Crustacea

Algae No data available

**Terrestrial toxicity** 

Soil No data available

**Vertebrates** No data available

Invertebrates No data available

**Ingredient Ecological Data** 

**Aquatic toxicity** 

ish					
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC <sub>50</sub>	6.7 mg/L	PEEN (Pan European Ecological Network)
Methyl alcohol (<0.1%) CAS#: 67-56-1	96 hours	Pimephales promelas	LC50	15000 mg/L	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Exposure	Species	Endpoint	Reported	Key literature references and

**Product Name** Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 15 / 20

	time		type	dose	sources for data
Formaldehyde	96 hours	None reported	LC <sub>50</sub>	52.5 mg/L	PEEN (Pan European Ecological
(<0.1%)					Network)
CAS#: 50-00-0					

#### Crustacea

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN (Pan European Ecological Network)
Methyl alcohol (<0.1%) CAS#: 67-56-1	48 Hours	Daphnia magna	EC50 LC50	2500 mg/L	IUCLID (The International Uniform Chemical Information Database)
Cuprate(2-), [29H,31H-phthalocya nine-C,C-disulfonato( 4-)-N29,N30,N31,N3 2]-, disodium (<0.1%) CAS#: 1330-38-7	48 Hours	Daphnia pulex	LC50	100 mg/L	Estimation through ECOSARS v1.11 part of the Estimation Programs Interface (EPI) Suite™
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 hours	Daphnia magna	EC <sub>50</sub>	29 mg/L	PEEN (Pan European Ecological Network)

Algae No data available

**Terrestrial toxicity** 

**Soil** No data available

Vertebrates No data available

Invertebrates No data available

**Other Information** 

Persistence and degradability

None known.

**Product Biodegradability Data** 

If available, see ingredient data below.

**Ingredient Biodegradability Data** 

Test data reported below

**Bioaccumulation** 

If available, see ingredient data below.

# **Ingredient Bioaccumulation Data**

Chemical Name	Test method	Exposure	Species	Bioconcentrat	Results
		time	-	ion factor	

**Product Name** Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 16 / 20

				(BCF)	
Formaldehyde	None reported	None	None reported	None reported	Does not
(<0.1%)		reported			have the
CAS#: 50-00-0					potential to
					bioaccumula
					te

# **Additional information**

**Product Information** 

Partition Coefficient (n-octanol/water)

Not applicable

# **Ingredient Information**

Chemical Name	Partition Coefficient (n-octanol/water)	Method
Formaldehyde (<0.1%) CAS#: 50-00-0	$log K_{ow} = 0.35$	No information available
Methyl alcohol (<0.1%) CAS#: 67-56-1	$log K_{ow} = -0.7$	No information available
Cuprate(2-), [29H,31H-phthalocyanine-C,C-disulfonato(4-)-N2 9,N30,N31,N32]-, disodium (<0.1%) CAS#: 1330-38-7	log K <sub>ow</sub> = 3.86	No information available

# **Mobility**

Mobility in soil: High mobility. If available, see ingredient data below.

# **Product Information**

**Soil Organic Carbon-Water Partition Coefficient** 

Not applicable

# **Ingredient Information**

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
Formaldehyde (<0.1%) CAS#: 50-00-0	log K <sub>oc</sub> = 0.89	No information available
Methyl alcohol (<0.1%) CAS#: 67-56-1	log K <sub>oc</sub> = 0.44	No information available
Cuprate(2-), [29H,31H-phthalocyanine-C,C-disulfonato(4-)-N2 9,N30,N31,N32]-, disodium (<0.1%) CAS#: 1330-38-7	log K <sub>oc</sub> = 10.19	No information available

# **Additional information**

# Water solubility

# **Product Information**

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Product Name Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 17 / 20

# **Ingredient Information**

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
Formaldehyde CAS#: 50-00-0	Completely soluble	> 40000 mg/L	20 °C	68 °F
Methyl alcohol CAS#: 67-56-1	Soluble	> 1000 mg/L	25 °C	77 °F
Cuprate(2-), [29H,31H-phthalocyanine-C,C-disulfonato(4-)-N29, N30,N31,N32]-, disodium CAS#: 1330-38-7	Moderately soluble	178.88 mg/L	25 °C	77 °F

#### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national, and local laws and

regulations.

Contaminated packaging Working in a well-ventilated area. Rinse three times with an appropriate solvent. Collect

rinsate and dispose of according to local, state, or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P.A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste in countries other than the US. Improper disposal or reuse of this container may be dangerous and illegal. Disposal should be in accordance with applicable regional, national, and local

laws and regulations.

US EPA Waste Number U122 U154

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	U154

### Special instructions for disposal

Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

Product Name Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 18 / 20

**Note:** No special precautions necessary.

#### **Additional information**

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

# 15. REGULATORY INFORMATION

**National Inventories** 

TSCA Complies DSL/NDSL Complies

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL- Canadian Domestic Substances List/Non-Domestic Substances List

#### **International Inventories**

Complies
Complies

EINECS/ELINCS- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS**- Japan Existing and New Chemical Substances

**IECSC-** China Inventory of Existing Chemical Substances

**KECL-** Korean Existing and Evaluated Chemical Substances

PICCS- Philippines Inventory of Chemicals and Chemical Substances

**TCSI-** Taiwan Chemical Substances Inventory

**AICS**- Australian Inventory of Chemical Substances

NZIoC- New Zealand Inventory of Chemicals

### **US Federal Regulations**

# **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Methyl alcohol (CAS #: 67-56-1)	1.0
Cuprate(2-),	1.0
[29H,31H-phthalocyanine-C,C-disulfonato(4-)-N29,N30,N31,N32]	
-, disodium (CAS #: 1330-38-7)	

### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**Product Name** Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 19/20

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	X
Cuprate(2-), [29H,31H-phthalocyanine -C,C-disulfonato(4-)-N29, N30,N31,N32]-, disodium 1330-38-7		X	-	-

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Γ	Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
	50-00-0			RQ 45.4 kg final RQ
Γ	Methyl alcohol	5000 lb	-	RQ 5000 lb final RQ
	67-56-1			RQ 2270 kg final RQ

### U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical Name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde	Release - Toxic (solution)
(<0.1%) CAS#: 50-00-0	

# **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methyl alcohol (CAS #: 67-56-1)	Developmental

### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Formaldehyde	X	X	X
50-00-0			
Methyl alcohol	X	X	X
67-56-1			
Cuprate(2-),	X	-	X
[29H,31H-phthalocyanine-C,C-d			
isulfonato(4-)-N29,N30,N31,N32			
]-, disodium			
1330-38-7			

# U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

**Product Name** Buffer Solution pH 10.01 ± 0.02

Revision Date 18-Oct-2016

Page 20 / 20

#### **NFPA and HMIS Classifications**

NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 0	Flammability - 0	Physical hazards - 0	Personal protection - X - See section 8 for more
				information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

### <u>Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN\* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization \*\* Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 22-Jul-2016

Revision Date 18-Oct-2016

Revision Note None

#### **Disclaimer**

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

**HACH COMPANY©2016** 

**End of Safety Data Sheet**