MATERIAL SAFETY DATA SHEET

Sanford NA 2711 Washington Boulevard Bellwood, IL 60104 Phone: 708-547-6650 or 800-323-0749

Creation Date: October 20, 2003

Section One:	Product Information	
Product Name:	Expo Dry Erase Cleaner	

Colors: Clear

Sanford is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236 and is labeled with the CL (Cautionary Label) Seal. Products bearing the CL Seal are certified to be properly labeled in a program of toxicological evaluation by a medical expert for any known health risks and with information on safe and proper use of these materials. Conforms to ASTM D-4236.

Section Two: Composition

Water, 2-Butoxyethanol (111-76-2), isopropyl alcohol (67-63-0)

Section Three:	Hazards Identification	
----------------	------------------------	--

WARNING: COMBUSTIBLE. VAPOR HARMFUL. MAY BE HARMFUL IF SWALLOWED, OR BY SKIN CONTACT. EYE IRRITANT. CONTAINS: 2-BUTOXYETHANOL, ISOPROPYL ALCOHOL. PRECAUTIONS: Avoid ingestion. Keep away from eyes. Do not store or use near heat or flame. Use only with adequate ventilation. KEEP OUT OF REACH OF CHILDREN. FIRST AID: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If skin contact occurs, wash with soap and water for 5 minutes. If swallowed, get prompt medical attention. For further health information, contact a poison control center or call 888-786-0972.

Section Four:	First Aid Measures
Inhalation:	If symptoms occur, move to fresh air.
Skin Contact:	If skin contact occurs, wash with soap and water for 5 minutes.
Eye Contact:	If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care.
Ingestion:	If swallowed, get prompt medical attention.

Section Five: Fire	Fighting Measures		
Flash Point:	105F (TCC)		
Flammability Limits (% by volume):	Lower: 2.2% (isopropyl alcohol)	Upper:	Not available
Extinguishing Media:	As appropriate for surrounding area.		
Special Fire Fighting Measures:	None		

Unusual Fire and Explosion None Hazards:

Section Six: Accidental Release Measures

In Case of Spill or Accidental Release: Wipe up with absorbent material.

Section Seven:	Handling and Storage
Handling:	Use in a well-ventilated area. Aim nozzle away from eyes.
Storage:	Do not store or use near heat or flame.

Page 1 of 2

MATERIAL SAFETY DATA SHEET

MSDS #: 81800

Page 2 of 2

	Page	
Section Eight:	Exposure Controls and Personal Protection	
Eye Protection:	None under normal use conditions. Avoid prolonged eye contact.	
Clothing:	None under normal use conditions.	
Respirator:	None under normal use conditions.	
Ventilation:	None under normal use conditions. Use in a well ventilated area.	
Section Nine:	Physical and Chemical Properties	
	For product unless otherwise specified:	
Boiling Point:	180F (isopropyl alcohol)	
Specific Gravity:	0.96	
Vapor Pressure:	33 mg Hg (isopropyl alcohol)	
Solubility in Water:	complete	
Evaporation Rate:	Not available	
Appearance; Odor:	Clear liquid; alcoholic odor	
Section Ten:	Stability and Reactivity	
Stability:	Stable	
Conditions to Avoid	None known	
Chemical Incompati	bility: Strong oxidizers, acids, isocyanates	
Hazardous Decomp	osition: None known	
Hazardous Polymer	ization: Will not occur.	
Section Eleven:	Toxicological Information	
IARC Monographs:	No	
National Toxicology	Program: No	
OSHA Regulated:	No	
Section Twelve:	Ecological Information	
Not available		
Section Thirteen:	Disposal Considerations	
Dispose in accordar	nce with Federal, State, and Local Regulations.	
Section Fourteen:	Transport Information	
	Commodity n.o.s. (isopropanol), 3, UN1993, PGIII (105F TCC), Ltd. Qtys, EmS#3-07 lity, 9, ID8000, packing instruction 910	
Section Fifteen:	Regulatory Information	
TSCA INVENTORY	: The product on this Material Safety Data Sheet is not listed on the Toxic Substances Control Act Inventory All ingredients used to manufacture this product are listed on the TSCA Inventory	
Section Sixteen:	Other Information	
HMIS Co	de Septerd NA has been advised by Councel that the OSUA Uppard Communication Standard door	
Health	not apply to the Sanford Product described in this Material Safety Data Sheet. The reason for the	
Flammability	 exemption is contained in 29 CFR 1910.1200(b)(6)(ix) as amended July 1, 2002 per the Code of Federal Regulations. The information contained in this MSDS is forwarded to you for your 	
Reactivity	information, but is not meant to imply that the product is covered by the Hazard Communication	
Rescanal Protection	U Standard nor is this MSDS meant to comply with all requirements of the Hazard Communication Standard.	

0=Minimal / 4 = Severe

Н

Personal Protection

Standard.