

SAFETY DATA SHEET

Revision Date 23-Jul-2014 Creation Date 10-Sep-2010 **Revision Number 1**

1. Identification

Product Name Aluminium chloride

Cat No.: AC217460000; AC217460025; AC217460050; AC217461000;

AC217465000

Synonyms Aluminium trichloride

Recommended Use Laboratory chemicals.

Uses advised against No Information available

Details of the supplier of the safety data sheet

Entity / Business Name Emergency Telephone Number Company

Acros Organics For information US call: 001-800-ACROS-01

One Reagent Lane / Europe call: +32 14 57 52 11

Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Emergency Number **US:**001-201-796-7100 / Tel: (201) 796-7100

Europe: +32 14 57 52 99

CHEMTREC Tel. No.US:001-800-424-9300 /

Europe:001-703-527-3887

2. Hazard(s) identification

Classification

Fisher Scientific

One Reagent Lane

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Category 1 Skin Corrosion/irritation Category 1 Serious Eye Damage/Eye Irritation Category 1 Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

Specific target organ toxicity - (repeated exposure) Category 2

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals Causes severe skin burns and eye damage

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure

Aluminium chloride Revision Date 23-Jul-2014





Precautionary Statements

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposa

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Reacts violently with water

Contact with water liberates toxic gas

3. Composition / information on ingredients

Component	CAS-No	Weight %
Aluminum chloride	7446-70-0	>95

4. First-aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects Causes burns by all exposure routes. Product is a corrosive material. Use of gastric

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Aluminium chloride Revision Date 23-Jul-2014

Suitable Extinguishing Media Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Unsuitable Extinguishing Media DO NOT USE WATER

Flash Point No information available No information available Method -

Autoignition Temperature

Explosion Limits

No information available

No data available Upper Lower No data available

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Water reactive. Contact with water liberates toxic gas. Corrosive Material. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Hydrogen chloride Hydrogen chloride gas

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Up

Health **Flammability** Instability Physical hazards 3 ۱۸/ 0 2

Accidental release measures

Personal Precautions Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe

areas. Ensure adequate ventilation. Avoid dust formation. Do not get in eyes, on skin, or on

clothing.

Environmental Precautions Avoid release to the environment. See Section 12 for additional ecological information.

Methods for Containment and Clean Wear self-contained breathing apparatus and protective suit. Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Do not expose

spill to water.

7. Handling and storage

Use only under a chemical fume hood. Wear personal protective equipment. Avoid dust Handling

formation. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Do not ingest.

Do not allow contact with water. Protect from moisture.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum chloride		(Vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
Aluminum chloride	TWA: 2 mg/m ³	TWA: 2 mg/m ³	

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

Wear appropriate protective gloves and clothing to prevent skin exposure. Skin and body protection

Revision Date 23-Jul-2014 Aluminium chloride

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

> EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

9. Physical and chemical properties

Solid **Physical State** Yellow **Appearance** Odor pungent

Odor Threshold No information available

рΗ

100 g/L aq.sol 194 °C / 381.2 °F Melting Point/Range **Boiling Point/Range** No information available **Flash Point** No information available **Evaporation Rate** No information available Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available **Vapor Density** No information available **Relative Density** 2.440

Solubility

No information available Partition coefficient; n-octanol/water No data available **Autoignition Temperature** No information available **Decomposition temperature** No information available No information available

Viscosity

Molecular Formula AI CI3 133.34 **Molecular Weight**

10. Stability and reactivity

Reactive Hazard Yes

Water reactive. Moisture sensitive. heat sensitive. Stability

Conditions to Avoid Excess heat. Incompatible products. Exposure to moist air or water.

Incompatible Materials Water, Strong oxidizing agents, Alkali metals, Strong bases

Hazardous Decomposition Products Hydrogen chloride, Hydrogen chloride gas

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions Water reactive. Contact with water liberates toxic gas.

11. Toxicological information

Acute Toxicity

Product Information No acute toxicity information is available for this product

Component Information

Toxicologically Synergistic No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Causes burns by all exposure routes Irritation

No information available Sensitization

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Aluminum chloride	7446-70-0	Not listed				

Revision Date 23-Jul-2014 Aluminium chloride

Mutagenic Effects No information available

Reproductive Effects No information available.

Developmental Effects No information available.

No information available. **Teratogenicity**

STOT - single exposure Respiratory system

STOT - repeated exposure None known

Aspiration hazard No information available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

See actual entry in RTECS for complete information. **Other Adverse Effects**

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Aluminum chloride	Not listed	Gambusia affinis:	Not listed	EC50: 3.9 mg/L 48h
		LC50=27.1 mg/L 97h		EC50: 27.3 mg/L 48h

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available.

No information available. Mobility

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1726

ALUMINUM CHLORIDE, ANHYDROUS **Proper Shipping Name**

Hazard Class Packing Group Ш

TDG

UN-No UN1726

Proper Shipping Name ALUMINUM CHLORIDE, ANHYDROUS

Hazard Class 8 **Packing Group**

IATA

UN1726 **UN-No**

Proper Shipping Name ALUMINIUM CHLORIDE, ANHYDROUS

Hazard Class Packing Group Ш

IMDG/IMO

UN-No UN1726

Proper Shipping Name ALUMINUM CHLORIDE, ANHYDROUS

Hazard Class Ш **Packing Group**

15. Regulatory information

Aluminium chloride Revision Date 23-Jul-2014

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Aluminum chloride	Χ	Χ	-	231-208-1	-		Χ	Χ	Χ	Х	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard Yes

Clean Water Act Not applicable

Clean Air Act Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

Not applicable

California Proposition 65 This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Aluminum chloride	X	X	X	-	X

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product contains the following DHS chemicals:

Component	DHS Chemical Facility Anti-Terrorism Standard
Aluminum chloride	2000 lb STQ

Other International Regulations

Mexico - Grade No information available

Canada

Aluminium chloride Revision Date 23-Jul-2014

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

- E Corrosive material
- F Dangerously reactive material



16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 10-Sep-2010

 Revision Date
 23-Jul-2014

 Print Date
 23-Jul-2014

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS