# **SIGMA-ALDRICH**

## **Material Safety Data Sheet**

Version 4.0 Revision Date 02/27/2010 Print Date 07/28/2010

1. PRODUCT AND COMPANY IDENTIFICATION		
Product name	: Anthranilic acid	
Product Number Brand	: A89855 : Sigma-Aldrich	
Company	: Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA	
Telephone Fax Emergency Phone #	: +18003255832 : +18003255052 : (314) 776-6555	

## 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

#### **OSHA Hazards**

Highly toxic by inhalation, Irritant

#### GHS Label elements, including precautionary statements

Pictogram

Signal word



Signal word	Danger
Hazard statement(s)	
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H402	Harmful to aquatic life.
Precautionary statemen	t(s)
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P284	Wear respiratory protection.
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
P305 + P351 + P338	breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P320	Specific treatment is urgent (see supplemental first aid instructions on this label).
P337 + P313	If eye irritation persists: Get medical advice/attention.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to an approved waste disposal plant.
HMIS Classification	
Health hazard:	4
Flammability:	0
Physical hazards:	0

## **NFPA** Rating

Health hazard:	4
Fire:	0
Reactivity Hazard:	0

#### Potential Health Effects

Inhalation Skin	May be fatal if inhaled. Causes respiratory tract irritation. May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.
Ingestion	May be harmful if swallowed.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Synonyms	: 2-Aminobenzoic ac 2-AA	id	
Formula Molecular Weight	: C <sub>7</sub> H <sub>7</sub> NO <sub>2</sub> : 137.14 g/mol		
CAS-No.	EC-No.	Index-No.	Concentration
Anthranilic acid			
118-92-3	204-287-5	-	-

#### **4. FIRST AID MEASURES**

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## **5. FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

#### **Environmental precautions**

Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

### Personal protective equipment

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a dust mask type N95 (US) or type P1 (EN 143) respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves.

#### Eye protection

Face shield and safety glasses

#### Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

Form	solid
Safety data	
рН	no data available
Melting point	144 - 148 °C (291 - 298 °F) - lit.
Boiling point	no data available
Flash point	no data available
Ignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Water solubility	no data available

#### **10. STABILITY AND REACTIVITY**

#### **Chemical stability**

Stable under recommended storage conditions.

**Conditions to avoid** no data available

Materials to avoid Strong oxidizing agents

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx)

## **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

LD50 Oral - rat - 5,410 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Excitement. Behavioral:Ataxia. LC50 Inhalation - rat - 4 h - > 5 ppm

Skin corrosion/irritation Skin - rabbit - No skin irritation

Serious eye damage/eye irritation

Eyes - rabbit - Moderate eye irritation

**Respiratory or skin sensitization** no data available

#### Germ cell mutagenicity

Genotoxicity in vitro - Not mutagenic in Ames Test. Histidine reversion (Ames)

Genotoxicity in vitro - Human - lymphocyte Mutation in mammalian somatic cells.

Genotoxicity in vivo - mouse - Intraperitoneal Sister chromatid exchange

#### Carcinogenicity

Carcinogenicity - rat - Oral Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Kidney, Ureter, Bladder:Tumors.

Carcinogenicity - mouse - Subcutaneous

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration:Bronchiogenic carcinoma. Liver:Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC:	3 - Group 3: Not classifiable as to its carcinogenicity to humans (Anthranilic acid)

- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

#### **Reproductive toxicity**

Reproductive toxicity - mouse - Oral

Effects on Fertility: Female fertility index (e.g., # females pregnant per # sperm positive females; # females pregnant per # females mated ).

Specific target organ toxicity - single exposure (GHS) no data available

Specific target organ toxicity - repeated exposure (GHS) no data available

Aspiration hazard no data available

#### Potential health effects

Inhalation	May be fatal if inhaled. Causes respiratory tract irritation.
Ingestion	May be harmful if swallowed.
Skin	May be harmful if absorbed through skin. Causes skin irritation.
Eyes	Causes eye irritation.

## Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

#### Additional Information RTECS: CB2450000

#### **12. ECOLOGICAL INFORMATION**

#### Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 97 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates.	EC50 - Daphnia magna (Water flea) - 85.7 mg/l - 48 h
Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 31.3 mg/l - 72 h

Toxicity to algae

Persistence and degradability

no data available

**Bioaccumulative potential** no data available

#### Mobility in soil no data available

## PBT and vPvB assessment

no data available

#### Other adverse effects

no data available

## **13. DISPOSAL CONSIDERATIONS**

#### Product

Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

DOT (US) Not dangerous goods

IMDG Not dangerous goods

ΙΑΤΑ

Not dangerous goods

## 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Highly toxic by inhalation, Irritant

#### DSL Status

All components of this product are on the Canadian DSL list.

#### SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

CAS-No.	Revision Date
118-92-3	
CAS-No.	Revision Date
118-92-3	
	118-92-3 CAS-No.

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## **16. OTHER INFORMATION**

#### **Further information**

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.