

Version 1.0	Revision Date 02/03/2015	Print Date 06/30/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP WRITE AWAY - NEW AERO DZ
Material number	:	0000000000032401
Manufacturer or supplier's o	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nur	nbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	colourless
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Skin irritation Eye irritation Skin sensitisation	 Category 1 Liquefied gas Category 2 Category 2A Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	 H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Precautionary statements	: Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



sion 1.0	Revision Date 02/03/2015	Print Date 06/30/2016			
	 P251 Pressurized container: Do nuse. P261 Avoid breathing dust/ fume/P264 Wash skin thoroughly after P272 Contaminated work clothing the workplace. P280 Wear eye protection/ face p P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash P305 + P351 + P338 IF IN EYES for several minutes. Remove con easy to do. Continue rinsing. P333 + P313 If skin irritation or ra advice/ attention. P337 + P313 If eye irritation pers attention. P362 Take off contaminated cloth Storage: P410 + P412 Protect from sunlightemperatures exceeding 50 °C/ 1 	 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear eye protection/ face protection. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water of several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. 			
Potential Health Effects					
Carcinogenicity: IARC	No component of this product preser equal to 0.1% is identified as probabl human carcinogen by IARC.				
ACGIH	Confirmed animal carcinogen with ur humans				
OSHA	ethanol No component of this product preser equal to 0.1% is identified as a carcin carcinogen by OSHA.				
NTP	No component of this product preser equal to 0.1% is identified as a know by NTP.				

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 20 - < 30
alkanes, C12-14-iso-	68551-19-9	>= 20 - < 30
benzyl alcohol	100-51-6	>= 20 - < 30
Citrus, ext.	94266-47-4	>= 10 - < 20
butane	106-97-8	>= 5 - < 10

SAFETY DATA SHEET



ZEP WRITE AWAY - NEW AERO DZ

Version 1.0	Revision Date 02/03/2015 Print Date 06/30/2016		
propane	74-98-6 >= 1 - < 5		
SECTION 4. FIRST AID MEASUR	RES		
General advice	: Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.		
If inhaled	 If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician. 		
In case of skin contact	 If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes. Wash off immediately with plenty of water for at least 15 minutes. 		
In case of eye contact	 Remove contact lenses. Immediately flush eyes for at least 15 minutes. Get medical attention. Keep eye wide open while rinsing. 		
If swallowed	 Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. 		

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or w courses.	vater
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	Use extinguishing measures that are appropriate to loca circumstances and the surrounding environment.	d
Further information	Collect contaminated fire extinguishing water separately. must not be discharged into drains. Fire residues and contaminated fire extinguishing water be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.	must
Special protective equipment	Wear self-contained breathing apparatus for firefighting	if



Version 1.0

Revision Date 02/03/2015

Print Date 06/30/2016

for firefighters

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. 	
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct s exposure and temperatures over 50 °C. Do not open by for or throw into fire even after use. Do not spray on flames or red-hot objects. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. Keep container tightly closed in a dry and well-ventilated place. No smoking. 	ce
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH



Version 1.0	Revision	Date 02/03/20	015 Print	Date 06/30/2016
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
benzyl alcohol	100-51-6	TWA	10 ppm	US WEEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0

Personal protective equipm	nt	
Respiratory protection	 In the case of vapour formation use a respirator with an approved filter. In the case of dust or aerosol formation use respirator with an approved filter. 	
Hand protection		
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.	
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



/ersion 1.0	Revision Date 02/03/2015	Print Date 06/30/2016
Melting point/freezing point	: not applicable	
Boiling point	: 79.44 °C	
Flash point	: no data available	
Evaporation rate	: not determined	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: not applicable	
Relative vapour density	: no data available	
Density	: 0.844 g/cm3	
Solubility(ies)		
Water solubility	: insoluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: not applicable	
Heat of combustion	: 39.23 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	: Acute toxicity estimate : 2,020 mg/kg
-	Method: Calculation method



Version 1.0	Revision Date 02/03/2015	Print Date 06/30/2016
Acute inhalation toxicity	Acute toxicity estimate : 6.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method	
Components:		
benzyl alcohol: Acute dermal toxicity	LD50 rabbit: 1,250 mg/kg	
Skin corrosion/irritation		
Product:		
Remarks: Irritating to skin.		
Serious eye damage/eye irritation		
Product:		
Remarks: Severe eye irritation		
Respiratory or skin sensitisation		
Product:		
Remarks: Causes sensitisation.		
Germ cell mutagenicity		
no data available		
Carcinogenicity		
no data available		
Reproductive toxicity		
no data available		
ethanol: alkanes, C12-14-iso-: benzyl alcohol: Citrus, ext.: butane: propane:		
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		
Aspiration toxicity		
no data available		
Further information		
Product:		

Remarks: no data available



Version 1.0

Revision Date 02/03/2015

Print Date 06/30/2016

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

	Pro	duct:
--	-----	-------

Partition coefficient: n- octanol/water <u>Components:</u> benzyl alcohol:	: Remarks: no data available
-	: Pow: 0.87
	: Pow: 2.89
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: no data available
	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods



Version 1.0	Revision Date 02/03/2015	Print Date 06/30/2016
Waste from residues	 The product should not be allowed courses or the soil. Do not contaminate ponds, waterw chemical or used container. Send to a licensed waste manager 	ays or ditches with
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch 	on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International regulation

IATA-DGR	
UN/ID No.	: 1950
Proper shipping name	: Aerosols, flammable
Class	: 2.1
Packing group	: Not Assigned
Labels	: 2.1
Packing instruction (cargo aircraft)	: 203
Packing instruction (passenger aircraft)	: 203
IMDG-Code	
UN number	: 1950
Proper shipping name	: AEROSOLS
Class	: 2.1
Packing group	: Not Assigned
Labels	: 2.1
EmS Code	: F-D, S-U
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR	
UN/ID/NA number	: 1950
Proper shipping name	: Aerosols
Class	: 2.1
Packing group	: Not Assigned
Labels	: 2.1
ERG Code	: 126
Marine pollutant	: no

Special precautions for user

not applicable



Version 1.0

Revision Date 02/03/2015

Print Date 06/30/2016

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Acute Health Hazard Fire Hazard Sudden Release of Pressure Hazard	
SARA 302 :	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313 :	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.	
The components of this product are reported in the following inventories:		

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIOC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



Version 1.0

Revision Date 02/03/2015

Print Date 06/30/2016





HMIS III:

HEALTH	3
FLAMMABILITY	4
PHYSICAL HAZARD	2

0 = not significant, 1 =Slight,

OSHA GHS Label Information:

Hazard pictograms	
Signal w ord	: Danger:
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statements	:
	 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear eye protection/face protection. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and w ater. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and w ash before reuse. Storage: Protect fromsunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®. Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.

^{2 =} Moderate, 3 = High 4 = Extreme, * = Chronic